



photo for representation only

C-Select Vertical Grain **Reclaimed Douglas Fir**

Density

90%+ dense grain (8 rings or more per inch)

Hardness

660

Heartwood

90%+ heartwood content

Grain

75% of face is vertical grain in boards less than 5" wide and 75% in boards 5" and wider

Color

Color very consistent with subtle natural variation

Knots

In boards less than 5" wide 90% of boards are clear and the remaining 10% are limited to an average of one knot every 6' over the length of the board. In boards 5" & wider 75% of boards are clear.

Texture

Surface is planed smooth with very occasional skip

Holes

Very infrequent nail holes limited to 3/16" diameter

Discoloration

Light ferrous staining around nail holes

Checks

No shake or structural checks

Moisture Content

Kiln dried to 6 – 9% unless otherwise requested

Finish

Standard product is supplied unfinished

Certifications

FSC

FSC Recycled 100% credit

LEED

MR 4.1 & 4.2 (Material Reuse)

MR 5.1 & 5.2 (Materials)

* Grading applies to flooring and boardstock, all material graded best face.