


Shou Sugi Ban Fir, Brushed

Traditionally Inspired, American Made[™]—an 18th century technique for preserving wood with fire is updated to meet 21st century design and performance standards. Aggressively burning the surface layer of our FSC[®] Certified Vertical Grain Douglas fir, we then wire-brush each plank multipletimes to remove the soft char and expose the contrasting grain below. This heavily textured and visually dynamic surface is coated with an exterior grade finish in a selection of cool greys, warm browns, or a pop of color.Our Fir is a durable wood well-suited for exterior applications. Boards include vertical contrasting grains and texture—designed to be a hardy siding option that can withstand weather. Our Shou Sugi Ban Fir Brushed exposes the bright hypnotizing mixture of colors and texture created by the charring process. Our Shou Sugi Ban Fir Tiger's Eye is recommended for interior applications only due color instability resulting from the lack of pigment in the finish.



CUT AND PASTE SPECIFICATION INTO APPROPRIATE CSI DIVISION

06 42 00 — Wood Paneling

07 46 23 — Wood Siding

MANUFACTURER

Pioneer Millworks

2655 NE Orchard Ave McMinnville, OR 97128

MATERIALS

Product: Shou Sugi Ban Fir, Brushed

Collection: Shou Sugi Ban

Species: Douglas Fir

Texture: Wire Brushed

Source: Sustainably Harvested Forests.

Color: Available in 9 standard colors. Latewood growth rings will range from dark brown to black.

Grade: D Select Vertical Grain.

Finish: Burned, brushed, and coated with an exterior sealer. Back burned to promote stability. • shown in Carbon

Hardness: 620

(Janka Ball Test ASTM D1037-96A, Natural wood products have no minimum hardness since hardness is a characteristic of species and cannot be controlled)

DIMENSIONS & MILLING



ADDITIONAL INFORMATION

Heartwood: No Restriction

Grain: Vertical

Knots: Material to be primarily free of knots.

Voids: Occasional blown out knots up to 1" diameter may be present.

Checks: Checks allowed so long as material integrity is not adversely affected.

Moisture Content: Kiln dried 12–15% prior to milling.

CERTIFICATIONS & LEED INFORMATION

FSC[®] Claim: FSC[®] Mix 100% (SCS-COC-003998-D)

MRc5: Regional Materials (call for details)


MRc7: Certified Wood

INSTALLATION RECOMMENDATIONS

Overage: Minimum 10% additional material

for on-site grading, trimming and installation factors.

Climate: As with any wood product, extreme climate conditions including heat, cold, humid or arid can cause movement and performance issues with the material.









SKU# 16421414212

FSC* A000521

White

SKU# 16421412112



Ember





Carbon

SKU# 16421411812

FSC

MIX

Wood from

FSC* A000521

SKU# 16421412312

Tiger's Eye (Interior Use Only)

SKU# 16421414112

FSC* A000521

FSC MIX



Toasted (Interior Use Only)

SKU# 16421411912

Made in a healthy way, in the USA PIONEERMILLWORKS.COM | 800.951.9663

All photos for representation only. Information is deemed reliable but subject to change.

Additional information available on our website or call our wood design experts.

