## Fir Cloud - SKU 15421412412 by Pioneer Millworks

## Health Product Declaration v2.3 created via: HPDC Online Builder

### HPD UNIQUE IDENTIFIER: 32598

CLASSIFICATION: 07 46 23 Wood Siding

**PRODUCT DESCRIPTION:** Pioneer Millworks Vertical Grain Shiplap is an FSC® chain-of-custody certified, and a Pacific Northwest harvested option for wood in vertical applications. The rot resistance of Douglas fir and small tight knots, make it a favorite material choice for exterior applications. Our Douglas fir's signature vertical grain has been brushed once allowing our standard color finishes to shine. Also available preprimed for easy application of paint colors or unfinished to be stained on site. Disclosed here in Cloud; a light, airy off-white.

# Section 1: Summary

## CONTENT INVENTORY

- Inventory Reporting Format © Nested Materials Method
- Basic Method

Threshold Disclosed Per

O Material

O Product

Residuals/Impurities Evaluation © Completed © Partially Completed © Not Completed Explanation(s) provided :

⊙ Yes ⊖ No

## **Basic Method / Product Threshold**

For all contents above the threshold, the ma	onufacturer has: ⊙ Yes ⊖ No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-app methods.	rovea
Identified	O Yes 🖸 No
Provided name and CAS RN or other identifi	ier.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Threshold Level

• 100 ppm

O Other

C 1,000 ppm

O Per GHS SDS

PRODUCT | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

FIR CLOUD - SKU 15421412412 [ DOUGLAS FIR NoGS WATER BM-4 PROPRIETARY CO-POLYMER NoGS TITANIUM DIOXIDE LT-1 | CAN | END | MAM PROPRIETARY POLYMERS NoGS ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED LT-UNK | SKI | EYE AMORPHOUS SILICA BM-1 | CAN | MAM PROPYLENE GLYCOL BM-2 | END ] Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1. This is a voluntary, self-reported declaration produced using information from our suppliers, including CAS numbers and SDS data. Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT** VOC Content data is not applicable for this product category. **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

*listings.* VOC emissions: VOC Tranparency Sustainable forestry: FSC

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? • Yes • No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2023-05-04 PUBLISHED DATE: 2023-05-04 EXPIRY DATE: 2026-05-04 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

• Basic Inventory method with Product-level threshold.

T

- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

DOUGLAS FIR   HAZARD DATA SOURCE:   Pharos Chemical and Materials Library   HAZARD TYPE   LIST NAME AND SOURCE   WARNINGS   None found   Nortifications   LIST NAME AND SOURCE   NOTIFICATION					
HAZARD DATA SOURCE:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE:       2023-05-04 14:13:32         %:       98.6720 - 99.0125       GreenScreen:       NOGS       NANO:       No       SUBSTANCE ROLE:       Biological mate         HAZARD TYPE       LIST NAME AND SOURCE       WARNINGS	ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	١
HAZARD DATA SOURCE:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE:       2023-05-04 14:13:32         %:       98.6720 - 99.0125       GreenScreen: NoGS       RC: None       NANO: No       SUBSTANCE ROLE: Biological mate	None found			No wa	arnings found on HPD Priority Hazard
HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-05-04 14:13:32	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	%: 98.6720 - 99.0125	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Biological mat
DOUGLAS FIR ID: Not register	HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	E: 2023-05-04 14:13:32
aws in all 50 US states and Canada.	DOUGLAS FIR		HAZARD SO	CREENING DATE	
product is primarily composed of wood - a biological material that contains no registered chemicals. Reporting of Biological materials was	umber if available. Substan	ces present in the products, as well as know	own residuals	and impurities,	have been disclosed at 100 ppm. This
ESIDUALS AND IMPURITIES NOTES: Product composition is disclosed by Pioneer Millworks for all ingredients by name and CAS registry umber if available. Substances present in the products, as well as known residuals and impurities, have been disclosed at 100 ppm. This					

SUBSTANCE NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 14:13:32	
%: <b>0.1100 - 0.5050</b>	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Dilu	ient
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority Ha	azard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Con (EU EC)	nmission	EU - REACH Exe	emptions	
	(====)		Exempted from safety	REACH Annex IV listing due to	intrinsic

PROPRIETARY CO-POLY	MER			ID: Not Registered
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SC	CREENING DA	TE: 2023-05-01 11:55:09
%: 0.2990 - 0.4650	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE	W	ARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NC	DTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance is a proprietary formulation. According to the SDS of the supplier, residuals and impurities are below the reported threshold.

**TITANIUM DIOXIDE** 

ID: 13463-67-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2023-05-04 14:13:33
%: 0.1380 - 0.4010	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational C	arcinogen
CAN	CA EPA - Prop 65		Carcinogen - sp route	pecific to chemical form or exposure
CAN	IARC		Group 2B - Post from occupation	sibly carcinogenic to humans - inhaled nal sources
CAN	МАК		-	up 3A - Evidence of carcinogenic effects ht to establish MAK/BAT value
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
CAN	МАК		Carcinogen Gro Iow risk under N	up 4 - Non-genotoxic carcinogen with //AK/BAT levels
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -
МАМ	GHS - Japan		repeated expos	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
CAN	EU - Annex VI CMRs		Carcinogen Cat	egory 2 - Suspected human Carcinogen

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	— · · · ·	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Titanium Dioxide is flagged on the CA Prop 65 list if it is airborne, unbound particles of respirable size. We use this ingredient as a pigment that is bound within the applied UV cured penetrating finish on this product.

PROPRIETARY POLYMER	RS			ID: Not Registered
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SC	CREENING DA	TE: 2023-05-01 11:55:11
%: 0.3100 - 0.3360	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE	W	ARNINGS	
None found			No warr	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NC	DTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance is a proprietary formulation. According to the SDS of the supplier, residuals and impurities are below the reported threshold.

ALCOHOLS, C16-18 AND	C18-UNSATD., ETHOXYLATED			ID: 68920-66-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-05-04 14:13:32
%: 0.0130 - 0.0270	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	rious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No li	stings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 14:13:33
%: 0.0060 - 0.0160	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cau 1A]	se cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cau - Category 1A o	ise cancer by inhalation [Carcinogenicity r 1B]
МАМ	GHS - Japan		repeated expos	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
МАМ	GHS - Australia		repeated expos	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Antimicrobials	

SUBSTANCE NOTES:

**AMORPHOUS SILICA** 

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 14:13:34
%: 0.0000 - 0.0150	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Anti-freeze
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocri	ine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (G	SPI)	GSPI - Six Classe	es of Problematic Chemicals
			Antimicrobials	
RESTRICTED LIST	Green Science Policy Institute (G	SPI)	GSPI - Six Classe	es of Problematic Chemicals
			Some Solvents	
POSITIVE LIST	US Environmental Protection Ag EPA)	ency (US	US EPA - DfE Sat	fer Chemicals Ingredients list (SCIL)
			Enzymes and Sta Concern)	bilizers - Green Circle (Verified Low

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Tranparency	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2023-04-24 EXPIRY DATE: 2028-04-23	CERTIFIER OR LAB: No Lab
CERTIFICATION AND COMPLIANCE NOTES: The applie with the VOC laws in all 50 US states and Canada.	d water base finish used in this exterior sidin	ng emits at extremely low levels and complies
SUSTAINABLE FORESTRY	FSC	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL: https://pioneermillworks.com/sites/default/files/inline- files/Pioneer%20Millworks%20FSC%20Certificate%202 2026.pdf	ISSUE DATE: 2021-12-27 EXPIRY DATE: 2026-12-26 021-	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: Certified a		

## 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

#### WE DO WELL WHEN WE DO GOOD

We believe in the balance of people, planet, and profit working together towards a better future for all. For over 30 years we have been reclaiming and sourcing wood in responsible ways, from responsible companies, responsible places, and responsible people. Sustainability is part of our culture, a shared commitment to doing right for our customers and the environment.

We strive to keep our carbon footprint small; our roofs house 100kW solar arrays, and our wood scraps keep us warm. We encourage our coworkers to drive electric and charge up at work. We are an employee-owned company, putting company stock in the hands of employees and helping preserve local jobs. One percent of our reclaimed teak sales are donated to conservation causes on the island of Borneo. Our American Prairie sales support domestic barn and history preservation. We believe in promoting a sustainable wage for all who work here.

### MANUFACTURER INFORMATION

MANUFACTURER: Pioneer Millworks ADDRESS: 1180 Commercial Drive Farmington New York 14425, United States WEBSITE: https://pioneermillworks.com/

CONTACT NAME: Michele Caryl TITLE: Acquisitions Manager PHONE: 5859249970 EMAIL: michele@pioneermillworks.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.