

HPD UNIQUE IDENTIFIER: 32765

CLASSIFICATION: 06 42 00 Wood Paneling

PRODUCT DESCRIPTION: Pioneer Millworks Wide Raked® paneling adds dimensional texture to interior walls, wraps, ceilings, and fixtures. This applied texture is milled into the surface of the wood and repeats in multi-width grooves. All of our Raked® paneling options are Engineered with a FSC-Certified Baltic Birch 12mm (9 ply), CARB2 and TOSCA compliant, using wear layer glue that is Formaldehyde-free, low-VOC. Planks are milled with an end-matched T&G to provide quick and easy installation.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Completed in 3 of 3 Materials	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product			Identified <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ULEF BIRCH PLYWOOD [PHENOL-FORMALDEHYDE RESIN LT-P1
CALCIUM LIGNOSULFONATE LT-UNK CHALK NoGS TRITICUM
VULGARE KERNEL FLOUR NoGS AMMONIUM SULFATE LT-P1 END
BALTIC BIRCH] SC: BIO: HARDWOOD WEAR LAYER [ASH] WEAR
LAYER ADHESIVE [POLYMETHYLENE POLYPHENYL ISOCYANATE
(PRIMARY CASRN IS 9016-87-9) LT-UNK | CAN | RES | EYE | SKI | MAM
WATER BM-4 CARBON BLACK (USE CASRN 1333-86-4) BM-1 | CAN |
EYE | MAM DIPHENYLMETHANE DIISOCYANATE (MDI) - NON
ISOMER SPECIFIC (PRIMARY CASRN IS 26447-40-5) LT-UNK | SKI |
EYE | CAN | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1. This is a voluntary, self-reported declaration produced using information from our suppliers, including CAS numbers and SDS data. Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested
Sustainable forestry: FSC Certification - Mixed Credit

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-05-17

PUBLISHED DATE: 2023-05-17

EXPIRY DATE: 2026-05-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ULEF BIRCH PLYWOOD

#: 67.3080 - 67.3080

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Pioneer Millworks has taken steps – such as those outlined in Emerging Best Practices – to understand what residuals and impurities may be present in this material and disclose that information on the HPD.

OTHER MATERIAL NOTES: This is our engineered paneling platform.

BALTIC BIRCH

ID: Biological Material

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

#: 63.9420 - 65.2890 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Betula Spp

MATERIAL CONTENT NOTES: This is natural wood, a biological material, used for the veneer layers in our plywood platform.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

PHENOL-FORMALDEHYDE RESIN

ID: 9003-35-4

HAZARD DATA SOURCE: [Pharos Chemical and Materials Library](#) HAZARD SCREENING DATE: 2023-05-17 13:27:02

#: 1.7910 - 1.9320 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
-----------------	--	---

Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Component of glue used to adhere birch veneers in the plywood.

CALCIUM LIGNOSULFONATE

ID: 8061-52-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:03**%: **0.3300 - 0.3770** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Component of glue used to adhere birch veneers in the plywood.

CHALK

ID: 13397-25-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:03**%: **0.0540 - 0.0610** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Component of glue used to adhere birch veneers in the plywood.

TRITICUM VULGARE KERNEL FLOUR

ID: 130498-22-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:04**%: **0.0200 - 0.0540** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Component of glue used to adhere birch veneers in the plywood.

AMMONIUM SULFATE

ID: 7783-20-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:05**%: **0.0070 - 0.0070** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials

SUBSTANCE NOTES: Component of glue used to adhere birch veneers in the plywood.

SC: BIO: HARDWOOD WEAR LAYER %: 30.7690 - 30.7690

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

OTHER MATERIAL NOTES: American hardwoods are used for the visible raked top layer of this engineered paneling product.

ASH ID: **Biological Material**

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 30.6690 - 30.8690 GreenScreen: **Not Required** RC: **None** NANO: **No** MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Fraxinus

MATERIAL CONTENT NOTES: Ash is the specific hardwood named in this HPD however, white oak and walnut are additional available specie options for the visible raked top layer of this engineered paneling product.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

WEAR LAYER ADHESIVE %: 1.9230 - 1.9230

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Pioneer Millworks has taken steps – such as those outlined in Emerging Best Practices – to understand what residuals and impurities may be present in this material and disclose that information on the HPD.

OTHER MATERIAL NOTES: The manufacturer of this proprietary adhesive has provided an affidavit attesting that there are no red list ingredients added to this glue. This adhesive when used in our engineered flooring emits at extremely low levels and meet the stringent limits set by EPA/CARB, as verified by third party testing and Greenguard Gold certification.

POLYMETHYLENE POLYPHENYL ISOCYANATE (PRIMARY CASRN IS 9016-87-9)

ID: 247940-58-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:02**

%: **0.9620 - 1.3460** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: Wear layer adhesive component.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:03**

%: **0.4620 - 0.4790** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: Wear layer adhesive component.

CARBON BLACK (USE CASRN 1333-86-4)

ID: 101239-80-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:04**

%: **0.0020 - 0.1000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Wear layer adhesive component.

DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC (PRIMARY CASRN IS 26447-40-5)

ID: 327155-87-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-17 13:27:04**

%: **0.0190 - 0.0960** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: Wear layer adhesive component.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2023-05-13

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: Farmington, NY

EXPIRY DATE: 2028-05-12

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This unfinished wall paneling product is built to the same specifications as our engineered flooring which passes emissions testing for Greenguard Gold certification.

SUSTAINABLE FORESTRY

FSC Certification - Mixed Credit

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-12-27

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: All

EXPIRY DATE: 2026-12-26

Services

CERTIFICATE URL:

<https://pioneermillworks.com/sites/default/files/inline-files/Pioneer%20Millworks%20FSC%20Certificate%202021-2026.pdf>

CERTIFICATION AND COMPLIANCE NOTES: Certified FSC Mix - Certificate Code: SCS-COC-003998-D

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

WE DO WELL WHEN WE DO GOOD

We believe in the balance of people, planet, and profit working together towards a better future for all. For over 30 years we have been reclaiming and sourcing wood in responsible ways, from responsible companies, responsible places, and responsible people. Sustainability is part of our culture, a shared commitment to doing right for our customers and the environment.

We strive to keep our carbon footprint small; our roofs house 100kW solar arrays, and our wood scraps keep us warm. We encourage our coworkers to drive electric and charge up at work. We are a 100% employee-owned company, putting company stock in the hands of employees and helping preserve local jobs. One percent of our reclaimed teak sales are donated to conservation causes on the island of Borneo. Our American Prairie sales support domestic barn and history preservation. We believe in promoting a sustainable wage for all who work here.

MANUFACTURER INFORMATION

MANUFACTURER: Pioneer Millworks
ADDRESS: 1180 Commercial Drive
 Farmington New York 14425, United States
WEBSITE: <https://pioneermillworks.com/>

CONTACT NAME: Michele Caryl
TITLE: Acquisitions Manager
PHONE: 585-924-9970
EMAIL: michele@pioneermillworks.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.