# American Gothic Reclaimed Elm by Pioneer Millworks

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 64 20 Reclaimed Wood Flooring

PRODUCT DESCRIPTION: Our native Elm has been decimated over the last century by Dutch Elm Disease, but we still find Grey and Red Elm when we salvage old barns, making our reclaimed Elm something rare and special. With a delicate and distinctive grain, along with cool and creamy colors, this species looks stunning in any setting - classic to contemporary. Like most reclaimed hardwoods, you can expect occasional nail holes, insect marks, and small dark knots.



# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

## **Inventory Reporting Format**

- Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

- Material
- Product

# Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

## Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

#### Characterized

Yes Ex/SC 
 Yes 
 No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

#### Screened

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

#### Identified • Yes Ex/SC • Yes • No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC quidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AMERICAN GOTHIC RECLAIMED ELM [ SC:ELM Not Screened ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... UNK

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

All Pioneer Millworks recycled wood products are inventoried with source data, verified for recycled content and tested for lead if any paint or paint like finishes are present. Wood is not a registered chemical.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

## CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

Recycled content: FSC Certification - Recycled

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:** 

SCREENING DATE: 2019-10-22 PUBLISHED DATE: 2019-10-22 EXPIRY DATE: 2022-10-22



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

#### AMERICAN GOTHIC RECLAIMED ELM

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Pioneer Millworks has taken steps - such as those outlined in Emerging Best Practices - to understand what residuals and impurities may be present in this material and disclose that information on the HPD. There are no residuals or impurities at or above the reported threshold.

OTHER PRODUCT NOTES: Per LEED v4: Inherently non-emitting sources - Products that are inherently non-emitting sources of VOCs - specifically stone, ceramics, powder-coated metals, plated metals or anodized metals, glass, concrete, clay brick, and unfinished/untreated solid wood flooring - are considered fully compliant without any VOC emissions testing if they do not include integral organic-based surface coatings, binders, or sealants.

| SC:ELM   |                                |                                   |                 | ID: SC:Bio |
|--|--------------------------------|-----------------------------------|-----------------|------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                                | HAZARD SCREENING DATE: 2019-10-22 |                 |            |
| %: 100.00  | GS: Not Screened               | RC: PostC                         | nano: <b>No</b> | ROLE: Body |
| HAZARD TYPE  | AGENCY AND LIST TITLES         | WARNINGS                          |                 |            |
|  | Hazard Screening not performed |                                   |                 |            |

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: Ulmus

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials

Reclaimed elm is sourced from agricultural buildings. It is an inherently non-emitting source per LEED®



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS** N/A

CERTIFYING PARTY: Self-declared ISSUE DATE: 2019-EXPIRY DATE: 2022-CERTIFIER OR LAB: None

10-22 10-21 APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is an unfinished/untreated solid wood product. It is zero-VOC and does not include any integral organic-based surface coatings, binders, or sealants that would require certification. No certification is required.

### RECYCLED CONTENT

### **FSC Certification - Recycled**

CERTIFIER OR LAB: SCS Global EXPIRY DATE: 2021-CERTIFYING PARTY: Third Party ISSUE DATE: 2016-

12-28 12-29 Services APPLICABLE FACILITIES: All

CERTIFICATE URL: https://info.fsc.org/details.php? id=a024000000857A4AAI&type=certificate

CERTIFICATION AND COMPLIANCE NOTES: Certificate Code: SCS-COC-003998-D - Category: FSC Recycled 100%



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

Per LEED v4: Inherently non-emitting sources - Products that are inherently non-emitting sources of VOCs specifically stone, ceramics, powder-coated metals, plated metals or anodized metals, glass, concrete, clay brick, and unfinished/untreated solid wood flooring - are considered fully compliant without any VOC emissions testing if they do not include integral organic-based surface coatings, binders, or sealants.

#### MANUFACTURER INFORMATION

MANUFACTURER: Pioneer Millworks ADDRESS: 1180 Commercial Drive

Farmington New York 14425, United States

WEBSITE: https://pioneermillworks.com/

CONTACT NAME: Michele Caryl TITLE: Acquisitions Manager

PHONE: **5859249970** 

EMAIL: michele@pioneermillworks.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

**Recycled Types** 

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

**Other Terms** 

**Inventory Methods:** 

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknow

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.